



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/784,075	02/19/2004	Charles R. Weirauch	200314899-1	7028
22879 7590 06/09/2008 HEWLETT PACKARD COMPANY P O BOX 272400, 3404 E. HARMONY ROAD INTELLECTUAL PROPERTY ADMINISTRATION FORT COLLINS, CO 80527-2400				
EXAMINER BIBBINS, LATANYA				
ART UNIT		PAPER NUMBER		
2627				
NOTIFICATION DATE		DELIVERY MODE		
06/09/2008		ELECTRONIC		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

JERRY.SHORMA@HP.COM

mkraft@hp.com

ipa.mail@hp.com

# Office Action Summary

**Application No.**

10/784,075

**Applicant(s)**

WEIRAUCH ET AL.

**Examiner**

LaTanya Bibbins

**Art Unit**

2627

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 22 October 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 19 February 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/5508)
- Paper No(s)/Mail Date \_\_\_\_\_

- 4) ☐ Interview Summary (PTO-413)
- Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

### **DETAILED ACTION**

1. In the remarks filed on October 22, 2007, Applicant amended claims 1-5 and 9-16, and submitted arguments for allowability of pending claims 1-16.

### ***Response to Arguments***

2. Applicant's arguments filed October 22, 2007 have been fully considered but they are not persuasive.

Applicant argues that Figure 3A of the Murakami reference discloses one single optically readable layer. Applicant additionally argues that while Murakami teaches multiple "areas" such as the main information recording area and the additional information area, such areas are concentric areas within a single layer. Applicant further argues that while Murakami discloses double-sided optical disks, Murakami does not teach or even suggest any structure other than the single recording layer on a given single side of an optical disk.

Examiner respectively disagrees with Applicants characterization of the Murakami reference.

While Examiner agrees with Applicants argument that Figure 3A discloses only one recording layer, the rejection also cited column 5 line 59 through column 6 line 3 where Murakami discusses "the stripe back side identifier" which "shows the existence of additional information recorded at the back side of the optical disk" and as such meets the claimed limitations regarding the first and second optically readable surfaces.

Further, Applicant argues that Murakami does not teach or even suggest any structure other than the single recording layer on a given single side of an optical disk. However, it is noted that the feature upon which applicant relies is not recited in the rejected claims. Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Additionally, although not claimed, Examiner disagrees with Applicant's assertion that Murakami fails to disclose two recording layers. Murakami clearly discloses double sided type disks such as a DVD-ROM disk comprised of "two layers of recording layers" with a BCA in either the first or second recording layer (column 14 lines 42-59).

### ***Claim Rejections - 35 USC § 102***

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. **Claims 1-10 and 12-16 are rejected under 35 U.S.C. 102(e) as being anticipated by Murakami et al. (US Patent Number 6,973,015 B1).**

Regarding claim 1, Murakami discloses a method, comprising: refusing, by a drive, to optically read information encoded on a first optically readable surface of an

optical medium (see the TOC area in Figure 1A element 103) when required auxiliary information cannot be optically read from a second optically readable surface (see the additional information area in Figure 1A element 101 and the flowchart of a reproduction procedure in Figure 10A, specifically element 301i where an error is created when information can not be reproduced from the additional information area), one of the first and second optically readable surfaces being underneath and optically read through the other of the first and second optically readable surfaces (column 5 line 59 – column 6 line 3 and the discussion regarding double sided type disks such as a DVD-ROM disk comprised of two layers of recording layers with a BCA in either the first or second recording layer in column 14 lines 42-59).

**Regarding claim 2**, Murakami discloses the method of claim 1, further comprising: optically reading, from the first optically readable surface, at least part of the information that indicates that the auxiliary information is required on the second optically readable surface (see column 5 lines 29-40).

**Regarding claim 3**, Murakami discloses the method of claim 1, wherein the second optically readable surface is an external surface of the optical disk (see column 5 lines 9-12 where the additional information area may be located at the outer peripheral portion of the disc).

**Regarding claim 4**, Murakami discloses the method of claim 1, wherein the first optically readable surface is an internal data surface of the optical disk (see Figure 1A with a first surface, the TOC area 103, and a second surface, the additional information

area 101, and column 5 lines 9-12 where the additional information area may be located at the outer peripheral portion of the disc).

**Regarding claim 5**, Murakami discloses an optical medium (Figure 1A element 100), comprising: a first surface (see the TOC area in Figure 1A element 103), the first surface having an indication that information on a second surface is required to permit access to content on the first surface (see column 5 lines 29-40); and information on the second surface corresponding to the indication on the first surface (see the additional information area in Figure 1A element 101) and an upper surface of the first and second surfaces being partially reflective and permitting optical access to a lower surface of the first and second surfaces underneath the upper surface (column 5 line 59 – column 6 line 3).

**Regarding claim 5**, Murakami discloses an optical medium (Figure 1A element 100), comprising: a first surface (see the TOC area in Figure 1A element 103), the first surface comprising encoded information that comprises an indication that information encoded on a second surface is required to permit access to content on the first surface (see column 5 lines 29-40); the information encoded on the second surface corresponding to the indication on the first surface (see the additional information area in Figure 1A element 101) and an upper optically readable surface of the first and second surfaces being partially reflective and permitting optical access to a lower optically readable surface of the first and second surfaces underneath the upper optically readable surface (column 5 line 59 – column 6 line 3).

**Regarding claim 6**, Murakami discloses the optical medium of claim 5, further comprising: the first surface being an internal data surface; and the second surface being an external surface (see Figure 1A with a first surface, the TOC area 103, and a second surface, the additional information area 101, and column 5 lines 9-12 where the additional information area may be located at the outer peripheral portion of the disc).

**Regarding claim 7**, Murakami discloses the optical medium of claim 5, further comprising: the first surface being an external surface; and the second surface being an internal data surface (see Figure 1A where the first surface, the TOC area 103, is external to the second surface, the additional information area 101, in relation to the inner peripheral portion of the disc).

**Regarding claim 8**, Murakami discloses the optical medium of claim 5, further comprising: each of the first surface and the second surface being an internal data surface (see Figure 1A where both the TOC area 103 and the additional information area 101 are internal in relation to the main recording area 110).

**Regarding claim 9**, Murakami discloses the optical medium of claim 5, further comprising: the information encoded on the second surface comprising a bar code (see column 5 lines 12-14).

**Regarding claim 10**, Murakami discloses the optical medium of claim 5, further comprising: the information encoded on at least one of the first and second surfaces comprising data in a control block (see Figure 1B).

**Regarding claim 12**, Murakami discloses the optical medium of claim 5, further comprising: the information encoded on at least one of the first and second surfaces

comprising data embedded within other data (see Figure 1B and Figures 2A and 2B where both the TOC and the additional information areas contain embedded data).

**Regarding claim 13**, Murakami discloses the optical medium of claim 5, further comprising: the information encoded on the second surface comprising variable information (see the description of the data contained in the additional information area in column 6 lines 9-42 and the illustration in Figures 2A and 2B).

**Regarding claim 14**, Murakami discloses the optical medium of claim 13, further comprising: the information encoded on the second surface comprising a unique identifier of the optical medium (see column 5 lines 21 and 22 and further in column 9 lines 6-8).

**Regarding claim 15**, Murakami discloses a drive for optical media, comprising: a controller, the controller permitting external access to information encoded on a first surface on an optical medium, only when required encoded information can be optically read from a second surface on the optical medium (see column 13 lines 33-39 and further in column 13 lines 48-53 and Figure 7 element 523) wherein the controller causes a lens to optically focus on a lower optically readable surface of the first and second surfaces through an upper optically readable surface of the first and second surfaces above the lower optically readable surface (column 5 line 59 – column 6 line 3).

**Regarding claim 16**, Murakami discloses a drive for optical media, comprising: means for detecting that information encoded on a first surface of an optical medium is required (see the TOC area in Figure 1A element 103); and means for refusing to permit



Art Unit: 2627

external access external to information encoded on a second surface of the optical medium, unless the required information encoded on the first surface can be read by the drive (see the flowchart of a reproduction procedure in Figure 10A, specifically element 301i where an error is created when information can not be reproduced from the additional information area) and means for optically focusing on a lower optically readable surface of the first and second surfaces through an upper optically readable surface of the first and second surfaces above the lower optically readable surface (column 5 line 59 – column 6 line 3).

### ***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. **Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Murakami et al. (US Patent Number 6,973,015 B1) in view of Suh et al. (US PGPub Number 2004/0168074 A1).**

Regarding claim 11, Murakami discloses the optical medium including all of the limitations of claim 5 as noted in the 35 U.S.C. 102(e) rejection above, but fails to teach that the optical medium comprises the information encoded on at least one of the first and second surfaces comprising data encoded in groove wobble. Suh, however, teaches an optical medium where the information encoded on at least one of the first

and second surfaces comprises data encoded in groove wobble (see paragraph [0050]-[0052] and Figures 4F and 5).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to encode the copy protection information in wobbled pits as taught by Suh onto the optical medium of Murakami. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to prevent the information from being easily detected by common detecting methods (see Suh paragraph [0051]).

### ***Conclusion***

**7. THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LaTanya Bibbins whose telephone number is (571)270-

1125. The examiner can normally be reached on Monday through Friday 7:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wayne Young can be reached on 571 272-7582. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/LaTanya Bibbins/  
Examiner, Art Unit 2627

/Wayne Young/  
Supervisory Patent Examiner, Art Unit 2627